- A system for delivering electronic programming to a user, 1.
- the system comprising:
- a printed matter having at least one sensor and a
- transmitter for transmitting a coded signal in
- response to an actuation of said sensor;
- an intelligent controller having associated therewith a receiver for receiving said coded signal and a means for accessing programming material; and
 - a display unit for presenting said programming material;
 - wherein said user actuates said sensor to cause said intelligent controller to access said programming material and said display unit to present said programming material to said user.
 - A system as defined in claim 1 wherein said sensor comprises 16 2. a touch sensor. 17
 - A system as defined in claim 1 wherein said sensor comprises 3. 18 a capacitive touch sensor. 19
 - 4. A system as defined in claim 1 wherein said sensor comprises 20 a conductive touch sensor. 21
 - A system as defined in claim 1 wherein said sensor comprises 22 5.

- a page sensor.
- 2 6. A system as defined in claim 1 wherein said printed matter
- includes both a page sensor and a touch sensor.
- 4 7. A system as defined in claim 1 wherein said printed matter
- 5 includes a pad having a plurality of touch sensors.
- 6 8. A system as defined in claim 1 wherein said printed matter
- $\boldsymbol{\tau}$ $\,$ includes a plurality of pads, each having a plurality of $\,$.
- touch sensors.

- A system as defined in claim 1 wherein said intelligent controller includes a microprocessor.
- 10. A system as defined in claim 1 wherein said intelligent controller has associated therewith a memory means for storing programming material.
- storing programming material
 - 11. A system as defined in claim 10 wherein said memory means comprises a magnetic disk.
 - 16 12. A system as defined in claim 10 wherein said memory means 17 comprises a PCMCIA card.
 - 18 13. A system as defined in claim 10 wherein said memory means
 19 comprises a flash RAM.
 - 20 14. A system as defined in claim 10 wherein said memory means 21 comprises a cache.
 - 22 15. A system as defined in claim 10 wherein said memory means

1 comprises a CD-ROM.

8

9

12

- 16. A system as defined in claim 10 wherein said memory means is
- selected from the group consisting of: a ROM; a WORM disk; a
- floppy disk; a multi-layer optical disk; a magneto-optical
- disk; an IC card; a magnetic bubble memory; a sequential
- access memory; a magnetic tape; a magnetic drum; a magneto-
- optical drum; a static RAM; and a dynamic RAM.
 - 17. A system as defined in claim 1 wherein said intelligent controller includes a removable memory means.
 - 18. A system as defined in claim 17 wherein said printed matter and said removable memory means are supplied to, or purchased by, the user as a set.
 - 19. A system as defined in claim 1 wherein said means for accessing programming material operates via a data link.
- 15 20. A system as defined in claim 19 wherein said data link 16 comprises a telephone line.
- 17 21. A system as defined in claim 19 wherein said data link
 18 comprises a computer network.
- 19 22. A system as defined in claim 19 wherein said data link 20 comprises an ISDN network.
- 21 23. A system as defined in claim 19 wherein said data link
 22 comprises an Ethernet network.

0.003

- A system as defined in claim 19 wherein said data link 1 24. comprises a CATV line.
- 25. A system as defined in claim 1 wherein said intelligent 3
- controller has associated therewith a buffer for temporarily
- storing the programming material.
- A system as defined in claim 1 wherein said intelligent
- controller includes means for decompressing compressed programming material.
- 10 10 9
 - 27. A system as defined in claim 1 wherein said display unit comprises a video display.
 - A system as defined in claim 1 wherein said display unit 28. comprises an audio transducer.
 - 29. A system as defined in claim 1 wherein said display unit comprises a flat panel display.
 - 30. A system as defined in claim 29 wherein said flat panel display is embedded within said printed matter.
 - A system as defined in claim 1 wherein said display unit has 17 31.
 - associated therewith a buffer for temporarily storing 18
 - programming material.
 - 32. A system as defined in claim 1 wherein said display unit has 20
 - associated therewith means for decompressing compressed 21
 - programming material. 22

- ι 33. A system as defined in claim 1 wherein said display unit
- comprises a CATV converter, or wireless cable converter, and
- a television set coupled thereto.
- 4 34. A system as defined in claim 1 wherein said display unit
- 5 comprises a personal computer.
- 6 35. A system as defined in claim 34 wherein said personal
- 7 computer includes a CD-ROM for storing programming material.
 - 36. A system as defined in claim 34 wherein said personal computer includes means for decompressing compressed programming material.
 - 37. A system as defined in claim 1 wherein said intelligent controller and said display unit each comprise portions of a
- controller and said personal computer.

....8

- 38. A system as defined in claim 1 wherein said programming material includes entertainment programming.
- 39. A system as defined in claim 1 wherein said programming
- material includes educational programming.
- 18 40. A system as defined in claim 1 wherein said programming
- material supplements information contained in said printed
- 20 matter.
- 21 41. A system as defined in claim 1 wherein said programming
- 22 material includes commercial programming.

- 1 42. A system as defined in claim 1 wherein said programming
 2 material includes promotional programming.
- 3 43. A system as defined in claim 1 wherein said programming material includes informational programming.
- 44. A system as defined in claim 1 wherein said transmitter and
 receiver communicate via an energy pathway.
- 7 45. A system as defined in claim 44 wherein said energy pathway comprises a conductive cable.
 - 46. A system as defined in claim 44 wherein said energy pathway comprises an optical cable.
 - 47. A system as defined in claim 44 wherein said energy pathway comprises a capacitively coupled link.
 - 48. A system as defined in claim 1 wherein said transmitter and receiver communicate via a wireless RF link.
- 15 49. A system as defined in claim 1 wherein said transmitter and 16 receiver communicate via an IR link.
- 50. A system for displaying programming to a user, the system comprising:
- a printed matter having at least one machine recognizable feature;

12 | 12 | 13

//1 /() 14

a feature recognition unit having associated therewith
a means for recognizing said feature and a

transmitter for transmitting a coded signal in
response to the recognition of said feature;
an intelligent controller having associated therewith a
receiver for receiving said coded signal and means
for accessing programming material; and
a display unit for presenting said programming
material;
wherein said recognition unit, in response to the
recognition of said feature, causes said
intelligent controller to access said programming
material and said display unit to execute or
display said programming material.

- 51. A system as defined in claim 50 wherein said intelligent controller includes a microprocessor.
- 15 52. A system as defined in claim 50 wherein said intelligent
 16 controller has associated therewith a memory means for
 17 storing programming material.
- 53. A system as defined in claim 52 wherein said memory meanscomprises a magnetic disk.
- 20 54. A system as defined in claim 52 wherein said memory means
 21 comprises a PCMCIA card.
- 22 55. A system as defined in claim 52 wherein said memory means

1 comprises a flash RAM.

13

139

- S6. A system as defined in claim 52 wherein said memory means
 comprises a cache.
- 57. A system as defined in claim 52 wherein said memory means
 comprises a CD-ROM.
- 58. A system as defined in claim 52 wherein said memory means is

 7 selected from the group consisting of: a ROM; a WORM disk; a

 13 floppy disk; a multi-layer optical disk; a magneto-optical

 14 disk; an IC card; a magnetic bubble memory; a sequential

 15 access memory; a magnetic tape; a magnetic drum; a magneto
 16 optical drum; a static RAM; and a dynamic RAM.
 - 59. A system as defined in claim 50 wherein said intelligent controller includes a removable memory means.
- 15 14 60. A system as defined in claim 59 wherein said printed matter
 and said removable memory means are supplied to, or
 purchased by, the user as a set.
 - 17 61. A system as defined in claim 50 wherein said means for accessing programming material operates via a data link.
 - 62. A system as defined in claim 61 wherein said data link
 comprises a telephone line.
 - 21 63. A system as defined in claim 61 wherein said data link
 22 comprises a computer network.

- 64. A system as defined in claim 61 wherein said data link
 comprises an ISDN network.
- 3 65. A system as defined in claim 61 wherein said data link 4 comprises an Ethernet network.
- 66. A system as defined in claim 61 wherein said data linkcomprises a CATV line.
- 7 67. A system as defined in claim 50 wherein said intelligent
 8 controller has associated therewith a buffer for temporarily
 9 storing the programming material.
 - 68. A system as defined in claim 50 wherein said intelligent controller includes means for decompressing compressed programming material.
 - 69. A system as defined in claim 50 wherein said display unit comprises a video display.
 - 70. A system as defined in claim 50 wherein said display unit comprises an audio transducer.
- 71. A system as defined in claim 50 wherein said display unit comprises a flat panel display.
- 72. A system as defined in claim 71 wherein said flat paneldisplay is embedded within said printed matter.
- 73. A system as defined in claim 50 wherein said display unit has associated therewith a buffer for temporarily storing

- programming material. 1
- 2 A system as defined in claim 50 wherein said display unit
- has associated therewith means for decompressing compressed
- programming material.

(A)

12

- A system as defined in claim 50 wherein said display unit
- comprises a CATV converter, or wireless cable converter, and
- a television set coupled thereto.
 - A system as defined in claim 50 wherein said display unit comprises a personal computer.
 - A system as defined in claim 76 wherein said personal computer includes a CD-ROM for storing programming material.
- 12 A system as defined in claim 76 wherein said personal 78. 13 computer includes means for decompressing compressed 1 14 programming material.
 - A system as defined in claim 50 wherein said intelligent 15 16 controller and said display unit each comprise portions of a personal computer. 17
 - A system as defined in claim 50 wherein said programming 18 material includes entertainment programming. 19
 - 20 81. A system as defined in claim 50 wherein said programming 21 material includes educational programming.
 - 82. A system as defined in claim 50 wherein said programming 22

- material supplements information contained in said printed
 matter.
- 83. A system as defined in claim 50 wherein said programming
 material includes commercial programming.
- 84. A system as defined in claim 50 wherein said programmingmaterial includes promotional programming.
- 85. A system as defined in claim 50 wherein said programming
 material includes informational programming.

94

- 86. A system as defined in claim 50 wherein said transmitter and receiver communicate via an energy pathway.
- 87. A system as defined in claim 86 wherein said energy pathway comprises a conductive cable.
- 88. A system as defined in claim 86 wherein said energy pathway comprises an optical cable.
- 89. A system as defined in claim 86 wherein said energy pathway
 comprises a capacitively coupled link.
- 90. A system as defined in claim 50 wherein said transmitter and receiver communicate via a wireless RF link.
- 91. A system as defined in claim 50 wherein said transmitter and receiver communicate via an IR link.
- 21 92. A system as defined in claim 50 wherein said feature 22 comprises a bar code.

- 93. A system as defined in claim 50 wherein said feature comprises an invisible bar code.
- 94. A system as defined in claim 50 comprises wherein saidfeature comprises a magnetic code.
- 5 95. A system as defined in claim 50 wherein said feature6 comprises printed indicia.
- 96. A system as defined in claim 50 wherein said recognition
 unit comprises a hand-held unit.
 - 97. A system as defined in claim 96 wherein said hand-held recognition unit includes a CCD camera.
 - 98. A system as defined in claim 96 wherein said hand-held recognition unit includes a bar code reader.

100 11-12 13

U

F4

19

20

21

- 99. A system as defined in claim 96 wherein said hand-held recognition unit comprises a magnetic detector.
- 100. A system as defined in claim 96 wherein said hand-held recognition unit comprises a scanner/mouse.
- 17 101. A system for delivering electronic programming to a user,

 18 the system comprising:
 - a printed matter having associated therewith at least
 one sensor, a controller responsive to an
 actuation of said sensor, and a transmitter
 responsive to said controller for transmitting a

8 9 10 11 12
10 11 12
10 11 12
10 11 12
11.
11.
12
12
1 32

16

19

20

coded signal; an	coded	signal	;	and
------------------	-------	--------	---	-----

a display unit having associated therewith a receiver for receiving said coded signal, means for accessing programming material in response thereto, and means for displaying or executing said programming material; and

wherein said user actuates said sensor to cause said programming material to be accessed and displayed or executed.

- 102. A system as defined in claim 101 wherein said controller includes a microprocessor.
- 103. A system as defined in claim 101 wherein said display unit further has associated therewith a memory means for storing programming material.
- 104. A system as defined in claim 103 wherein said memory means comprises a magnetic disk.
- 17 105. A system as defined in claim 103 wherein said memory means
 18 comprises a PCMCIA card.
 - 106. A system as defined in claim 103 wherein said memory means comprises a flash RAM.
- 107. A system as defined in claim 103 wherein said memory means
 comprises a cache.

- 108. A system as defined in claim 103 wherein said memory means
 comprises a CD-ROM.
- 109. A system as defined in claim 101 wherein said memory means is selected from the group consisting of: a ROM; a WORM disk; a floppy disk; a multi-layer optical disk; a magneto-optical disk; an IC card; a magnetic bubble memory; a sequential access memory; a magnetic tape; a magnetic drum; a magneto-optical drum; a static RAM; and a dynamic RAM.
 - 110. A system as defined in claim 101 wherein said further has associated therewith a removable memory means.

14

13

- 111. A system as defined in claim 110 wherein said printed matter and said removable memory means are supplied to, or purchased by, the user as a set.
- 112. A system as defined in claim 101 wherein said means for accessing programming material operates via a data link.
- 16 113. A system as defined in claim 112 wherein said data link comprises a telephone line.
- 18 114. A system as defined in claim 112 wherein said data link
 19 comprises a computer network.
- 20 115. A system as defined in claim 112 wherein said data link
 21 comprises an ISDN network.
- 22 116. A system as defined in claim 112 wherein said data link

- comprises an Ethernet network.
- 2 117. A system as defined in claim 112 wherein said data link
- 3 comprises a CATV line.
- 4 118. A system as defined in claim 101 wherein said controller has
- s associated therewith a power-down or slow-down circuit for
- 6 reducing power consumption in said controller.
- 119. A system as defined in claim 101 wherein said controller has

 associated therewith a solar cell for powering said

 controller..
 - 120. A system as defined in claim 101 wherein said display unit comprises a video display.
 - 121. A system as defined in claim 101 wherein said display unit comprises an audio transducer.
 - 122. A system as defined in claim 101 wherein said display unit comprises a flat panel display.
- 16 123. A system as defined in claim 122 wherein said flat panel
 17 display is embedded within said printed matter.
- 124. A system as defined in claim 101 wherein said display unit
 19 has associated therewith a buffer for temporarily storing
 20 programming material.
- 21 125. A system as defined in claim 101 wherein said display unit has associated therewith means for decompressing compressed

- programming material.
- 2 126. A system as defined in claim 101 wherein said display unit
- 3 comprises a CATV converter, or wireless cable converter, and
- a television set coupled thereto.
- 5 127. A system as defined in claim 101 wherein said display unit
- 6 comprises a personal computer.
- 128. A system as defined in claim 127 wherein said personal
 computer includes a CD-ROM for storing programming material.
 - 129. A system as defined in claim 127 wherein said personal computer includes means for decompressing compressed programming material.
 - 130. A system as defined in claim 101 wherein said controller and said display unit each comprise portions of a personal computer.
- 131. A system as defined in claim 101 wherein said programming

 material includes entertainment programming.
- 132. A system as defined in claim 101 wherein said programming
 18 material includes educational programming.
- 19 133. A system as defined in claim 101 wherein said programming
- 20 material supplements information contained in said printed
- 21 matter.
- 22 134. A system as defined in claim 101 wherein said programming

- material includes commercial programming. 1
- 135. A system as defined in claim 101 wherein said programming 2
- material includes promotional programming. 3
- 136. A system as defined in claim 101 wherein said programming
- material includes informational programming.
- 137. A system as defined in claim 101 wherein said transmitter
- and receiver communicate via an energy pathway.
- 138. A system as defined in claim 137 wherein said energy pathway 81 d 9 f f d 4 d 7 11 13 13 14 4 15 comprises a conductive cable.
 - 139. A system as defined in claim 137 wherein said energy pathway comprises an optical cable.
 - 140. A system as defined in claim 137 wherein said energy pathway comprises a capacitively coupled link.
 - 141. A system as defined in claim 101 wherein said transmitter and receiver communicate via a wireless RF link.
 - 142. A system as defined in claim 101 wherein said transmitter 16 and receiver communicate via an IR link. 17
 - 143. A method of providing, accessing or utilizing electronic media services, the method comprising the steps of:
- providing a printed matter having at least one sensor 20
- associated therewith; 21
- providing or programming an intelligent controller to, 22

ı	in response to an actuation of said sensor,
2	perform a pre-programmed command; and
,	executing said pre-programmed command to access or
•	control an electronic media.
5	144. A method of providing electronic programming material, the
í	method comprising the steps of:
7	providing a printed matter to a potential customer;
8	pre-programming an intelligent controller to access or
•	control the transmission of electronic programming
0	material in response to an event wherein the
1	customer interacts with the printed matter in a
2	particular manner; and
3	displaying or executing said programming material in
4	response to the intelligent controller.
5	145. A method as defined in claim 144 wherein said printed matte
6	comprises a low-cost, throw away publication.
7	146. A method as defined in claim 144 wherein said customer
8	utilizes a feature recognition unit to interact with said
9	printed matter.
20	147. A method of providing or accessing shop-at-home services,
21	the method including the steps of:
	incorporating within a printed catalogue at least one

			<u> </u>
	2		programming a controller to execute a pre-programmed
	3		command in response to an event wherein a customer
	4		interacts with said sensor or feature; and
	5		responding to the execution of said pre-programmed
	6		command.
	7	148.	A method as defined in claim 147 wherein responding
-			comprises presenting or delivering commercial programming to
b)	9		the customer.
100	8 11 mg	149.	A method as defined in claim 147 wherein responding
200	k I1		comprises presenting or delivering promotional programming
	12		to the customer.
Sent D. E	13	150.	A method as defined in claim 147 wherein responding
10	14		comprises contacting the customer by telephone.
0.000			

sensor or machine-recognizable feature:

- 151. A method as defined in claim 147 wherein responding comprises providing an electronic menu to the customer.
- 152. A method as defined in claim 151, further comprising the 17 step of responding to the customer's menu selection(s). 18
- 153. An improved method of instruction, said method including the 19 20 steps of:
- providing a printed textbook having at least one sensor 21 or machine-recognizable feature associated 22

6	
1	
(3)	
123	
14.	
÷ū.	
÷	
្រឹង	
1 12	
i sale	
10 13	
Iff	
12	
la.Fr	

16

19

20

21

22

1

ere		

providing a means, distinct from said textbook, for

executing a pre-programmed command in response to

an event wherein a reader of the textbook

interacts with said sensor or feature; and

responding to the execution of said command.

- 154. An improved method of instruction as defined in claim 153 wherein responding comprises: causing or controlling the delivery or presentation of multimedia material or other information related to that in the textbook to the reader.
- 155. An improved method of instruction as defined in claim 153 wherein responding comprises: forming a communication link between the reader and a tutor or consultant.
- 156. A low cost, throw-away printed matter useful for accessing electronic media services, said printed matter including:

at least one sensor; and

means, responsive to an actuation of said sensor, for transmitting a coded signal indicative of said sensor.

157. A feature recognition unit useful, in combination with a printed matter, for accessing electronic media services, said recognition unit comprising:

3		means, responsive to the recognition of a feature, for
4		transmitting a coded signal indicative of said
5		recognized feature.
6	158.	A feature recognition unit as defined in ${\tt claim}$ 157 wherein
7		said means for recognizing reads bar codes.
38	159.	A feature recognition unit as defined in claim 157 wherein
9		said means for recognizing reads printed indicia.
10	160.	A feature recognition unit as defined in claim 157 wherein
11		said means for recognizing reads magnetic codes.
12	161.	A feature recognition unit as defined in claim 157 wherein
13		said means for recognizing comprises a CCD camera.
14	162.	A feature recognition unit as defined in claim 157 wherein
15		said means for recognizing comprises a bar code reader.
16	163.	A feature recognition unit as defined in claim 157, further
17		including a microprocessor.
18	164.	A system for delivering an electronic advertisement to a
19		user, the system comprising:
20		a printed advertigement having appropriated therewith at

and

22

means for recognizing features on said printed matter;

least one sensor or machine-recognizable feature, a controller, responsive to an actuation of said

		,	
10 9 9 9 9 10 10 11 11 12 12 12 12 12 12 12 12 12 12 12	3	9	
10 9 9 9 9 10 10 11 11 12 12 12 12 12 12 12 12 12 12 12	6	6	
	. 7	7	
	(3) 8	٤	(2)
	in ,	9	in the
	10	ı	13
	¥ 1	U	A. 17.
1:	j 12	12	Q
1:	jų r	13	ju M
1:	J 1	1	(J
10	1:	15	, .
	1	10	

l	sensor or a recognition of said machine-
:	recognizable feature, and a transmitter,
3	responsive to said controller, for transmitting a
ı	coded signal; and
5	a display unit including a receiver for receiving said
5	coded signal and means for providing said user
7	with said electronic advertisement related to said
В	printed advertisement.
9	165. A system for delivering information services to a user,
0	the system comprising:
1	a printed reference having associated therewith at
2	least one sensor or machine-recognizable feature,
3	a controller, responsive to an actuation of said
4	sensor or a recognition of said machine-
5	recognizable feature, and a transmitter,
6	responsive to said controller, for transmitting a
7	coded signal; and
8	a display unit including a receiver for receiving said
9	coded signal and means for providing said user
20	with said information services related to said
21	printed reference.
22	166. A system for delivering information services as defined in

- claim 165 wherein said display unit is contained within a personal communicator device.
- 3 167. A system for delivering information services as defined in
- d claim 165 wherein said display unit is contained within a
- 5 remote pager device.